NEMO

SKETCH



SKETCH




SKETCH



SKETCH PORCELAIN TILE COLORS

LAPIS




24" x 24"

GRAFITE




12" x 24"


CHINA




12" x 12"



LAPIS MIX
12" x 12" / 30 x 30 cm



GRAFITE MIX
12" x 12" / 30 x 30 cm



CHINA MIX
12" x 12" / 30 x 30 cm

*Each box of the mix features 12 random patterns

SKETCH



TECHNICAL INFORMATION

Thickness: 10 mm / 0.4"
Natural/Matte Finished Porcelain Tile

Specification		Test	Required Standards	Made +39 Value
Regularity Features	Length and Width	UNI EN ISO 10545 - 2	± 0.6 % (MAX ± 2 mm)	± 0.6 % (MAX ± 2 mm)
	Thickness		± 5% (MAX ± 0.5 mm)	± 5% (MAX ± 0.5 mm)
	Straightness		± 0.5% (MAX ± 1.5mm)	± 0.6% (MAX ± 1.5mm)
	Rectangularity		± 0.5% (MAX ± 2 mm)	± 0.5% (MAX ± 2 mm)
	Surface Flatness		± 0.5% (MAX ± 2 mm)	± 0.5% (MAX ± 2 mm)
Termohygrometric Features	Frost Resistance	UNI EN ISO 10545 - 12	Required	Resistant
Structural Features	Water Absorption	UNI EN ISO 10545 - 3	≤ 0.5%	≤ 0.5%
Surface Mechanical Features	Resistance to Deep Abrasion	UNI EN ISO 10545 - 7	Declaration of Manufacturer	IV*
Chemical Features	Chemical resistance	UNI EN ISO 10545 - 12	≥ GB	GLA
	Household Products Resistance	UNI EN ISO 10545 - 14	MIN. GB	Compliant
Bulk Mechanical Features	Breaking Strength	UNI EN ISO 10545 - 4	S ≥ 1300 N	S ≥ 1300 N
	Modulus of Rupture		≥ 35 N/mm²	≥ 35 N/mm²

PACKAGING

Size	Pieces/Box	Sq Ft/Box	Lbs/Box	Box/Pallet	Lbs/Pallet
24"x24"	4	15.5	70	30	2100
12"x24"	7	13.56	61	32	1952
12"x12"	12	11.63	52	48	2496



NEMO

NEMOTILE.COM

SKETCH