

6 Colors | 7 Sizes | 1 Finish



# VERVE CEMENT PORCELAIN

**NEMO**  
TILE + STONE







*V2 Variation | Matte Finish*

## VERVE

Verve is multi-format series of porcelain tiles with a concrete look. Verve in the concrete look has a slight variation (V2) and is available in 5 sizes as well as a 2x2 mosaic tile. Verve comes in a neutral palate of 6 colors. Additionally there is a decorative pattern in 2 colors.



Cement Sand



Cement Clay



Cement Pumice



Cement Ecru




Cement Silt



Cement Ash

## Size

### VERVE CEMENT



36" x 36"



30" x 30"



24" X 48"



24" x 24"




11.8" x 24"




2" X 2" on 11.8" x 11.8"  
Mosaic Sheet

### TRIMS



Cement Skirting  
36" x 2.7"  
30" x 3"  
24" x 3"



Cement Stair Tread  
36" x 36"  
30" x 30"  
24" x 48"  
24" x 24"  
11.8" x 24"



Wood Skirting  
18" x 3"

## Technical Information

PROPERTY	STANDARD	RESULT
Fabrication process	-	Dry pressed ceramic tile
Absorption group	ISO 13006	Bla
Finish	-	Matte
Facial dimension range & surface quality	ISO 10545-2	Compliant
Water absorption	ISO 10545-3	E<0.5%
Breaking Strength (S)	ISO 10545-4	>1300 N
Flexural tensile strength (N/mm2)	ISO 10545-4	> 35 N/mm^2
Lineal thermal expansion between 20 to 100 C	ISO 10545-8	Compliant
Thermal shock resistance	ISO 10545-9	Compliant
Crazing resistance	ISO 10545-11	Compliant
Durability; Freeze - thaw cycle	ISO 10545-12	Compliant
Resistance to chemicals and pool treatment products	ISO 10545-13	Compliant
Resistance to high concentration acid and bases	ISO 10545-13	Min. GHB
Resistance to low concentration acids and bases	ISO 10545-13	Min GLB
Stain resistance	ISO 10545-14	Compliant
Slip resistance	UNE ENV 12633.2003	Class 1
	DIN 51.130	R10
	DIN 51.097	Class B
	DCOF - ANSI A137.1-2012	0.56

