



4 Colors | 2 Sizes | 2 Finishes

SUPER WHITE WALL TILE


NEMO
TILE + STONE



Matte + Glossy Finish

S U P E R W H I T E


Super White is a brilliant white wall tile with a soft coating that is extra smooth to the touch and easy to clean. Together with its modern decorative reliefs, Super White offers an exciting sensory experience.



Super White




Geometric



Spire



Wind



SUPERWHITE | GEOMETRIC



SPIRE

Technical Information

PROPERTY	STANDARD	NORM		RESULT	
Water absorption	ISO 10545-3	>10%		12% < E < 18%	
Breaking strength	ISO 10545-4	600 N		650 N	
Modulus of rupture	ISO 10545-4	12 N/mm ²		15 N/mm ²	
Coefficient of expansion	ISO 10545-8	Max. 9 x 10 ⁻⁶ K ⁻¹		6.5 x 10 ⁻⁶ K ⁻¹	
Thermal resistance	ISO 10545-9			Resists	
Crazing resistance	ISO 10545-11	Required		Resists	
Chemical resistance	ISO 10545-13			GLA - GHA - GA	
Resistance to staining	ISO 10545-14	Min Class 3		Class 5	
Length	ISO 13006	+/- 0.5%	+/-2mm	+/-0.08%	+/-0.5mm
Width		+/-0.5%	+/-1.49mm	+/- 0.17%	+/-0.5mm
Thickness		+/-10%	+/-0.5mm	+/-10%	9.5mm +/-0.5mm
Straightness of sides		+/- 0.3%	+/-1.5mm	+/-0.1%	<=0.6mm
Squareness		+/-0.5%	+/-2mm	+/-0.1%	<=0.6mm
Surface flatness		-0.3%/+0.5%	-1.5mm/+2mm	+0.15%/-0.08%	+0.9mm/-0.5mm



blue&green

GlobalEPD^{1/4}
A VERIFIED ENVIRONMENTAL DECLARATION
*Bl_a/ Bl_b



Size



12" x 24"



12" x 36"