

 **NEMO**

SOIREE




SOIREE



SOIREE



SOIRÉE



20x20cm/8"x8"
3 single patterns

style your color

blanc de noirs



grey on grey



brown on brown



white on white



black on black



black on grey



black on brown



black on white

blanc de blancs



grey on grey



brown on brown



white on white



black on black



black on grey



black on brown



black on white


extra brut



grey on grey




brown on brown




white on white



black on black



black on grey




black on brown



black on white

base tile



White




Black



Grey



Brown



blanc de noirs



20x20cm/8"x8"



blanc de blancs



20x20cm/8"x8"



extra brut



20x20cm/8"x8"




20x20cm/8"x8"



20x20cm/8"x8"

SOIRÉE

style your color



60x60cm/24"x24"
3 single patterns

blanc de noirs



grey on grey



brown on brown



white on white



black on black



black on grey



black on brown



black on white


blanc de blancs



grey on grey



brown on brown




white on white



black on black



black on grey




black on brown



black on white

extra brut



grey on grey




brown on brown




white on white




black on black



black on grey




black on brown



black on white


base tile



White



Black




blanc de noirs

laying pattern




60x60cm/24"x24"




blanc de blancs

laying pattern




60x60cm/24"x24"



extra brut



60x60cm/24"x24"



60x60cm/24"x24"



60x60cm/24"x24"


SOIREE




SOIREE



SOIREE



SOIRÉE

TECHNICAL INFORMATION		SOIRÉE	BASE TILE
	RESISTANCE TO CHEMICALS	GA GLA GHA ISO 10545.13	UA ULA UHA ISO 10545.13
	RESISTANCE TO STAINS	CLASSE 5 ISO 10545.14	CLASSE 5 ISO 10545.14
	WATER ABSORPTION %	$\leq 0,5\%$ ISO 10545.3	$\leq 0,5\%$ ISO 10545.3
	BENDING STRENGTH	$> 35 \text{ N/mm}^2$ ISO 10545.4	$> 35 \text{ N/mm}^2$ ISO 10545.4
	SKID RESISTANCE	R9 DIN 51130	R9 DIN 51130 DCOF BOT 3000 ANSI A 137.1:2012 $> 0,42$
	RESISTANCE TO ABRASION	ISO 10545-7	EN ISO 10545-6 119 mm ³
	FROST RESISTANT	RESISTANT ISO 10545.12	RESISTANT ISO 10545.12
	THERMAL SHOCK RESISTANT	RESISTANT ISO 10545.9	RESISTANT ISO 10545.9



 **NEMO**
NEMOTILE.COM

SOIREE