

NEMO

TILE + STONE

METRO



METRO









METRO





METRO COLORS

CERAMIC WALL TILE

NEUTRAL I

							
WHITE GLOSS	WHITE MATTE	BONE GLOSS	BONE MATTE	SMOKE GLOSS	SMOKE MATTE	ABSOLUTE BLACK GLOSS	ABSOLUTE BLACK MATTE

NEUTRAL II

							
DOVE GLOSS	DOVE MATTE	STEEL GLOSS	STEEL MATTE	DARK GREY GLOSS	DARK GREY MATTE	GRAPHITE GLOSS	GRAPHITE MATTE

BOLD I

							
TRUE YELLOW GLOSS	SUNTAN GLOSS	TUSCAN GLOSS	ORANGE CLAY GLOSS	LIPSTICK GLOSS	CRIMSON GLOSS	EVERGREEN GLOSS	LIMELIGHT GLOSS

BOLD II

							
GULF BLUE GLOSS	TEAL GLOSS	SEAFOAM GLOSS	CLOUD GLOSS	JET BLUE GLOSS	CLASSIC NAVY GLOSS	RAVEN GLOSS	LILAC GLOSS

SIZES

			THICKNESS	SQ. FT./ CARTON	PIECES/ CARTON
	8 x 24 Wall Tile	8" x 24" (20.34 cm x 61.03 cm)	3/8" 9.30 mm	13.30	10
	4 x 16 Wall Tile	4" x 16" (10.17 cm x 40.68 cm)	3/8" 9.30 mm	13.20	30
	4 x 12 Wall Tile	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm	10.64	28
	2 x 8 Wall Tile	2-1/8" x 8-9/16" (5.45 cm x 21.82 cm)	5/16" 7.90 mm	10.40	80
	3 x 6 Wall Tile	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	12.50	100
	6 x 6 Wall Tile	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	12.50	50
	4 x 4 Wall Tile	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	12.50	100

COLOR/SHAPE AVAILABILITY CHART

	8 x 24	4 x 16	4 x 12	2 x 8	3 x 6	6 x 6	4 x 4	JOLLY	A106 & AC106	BULLNOSE	COVE BASE
NEUTRAL I	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
NEUTRAL II	✓	✓	✓	✓	✓	✓	✓	✓	○	✓	○
BOLD I	✓	✓	✓	✓	✓	○	○	✓	○	○	○
BOLD II	○	✓	✓	✓	✓	○	○	✓	○	○	○

✓ Inventory ○ Made to order

METRO

TRIM

			Thickness	Pieces/ Carton
	TRIM			
	S1/212J / 1/2 x 12 Jolly ^ 4 pieces per card	1/2" x 11-15/16" (1.29 cm x 30.36 cm)	1/4" 7.23 mm	6 Cards
	A106 / 1 x 6 Quarter Round	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	152
	AC106 / 1 x 6 Quarter Round Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	120
	SURFACE BULLNOSE			
	S44D9 / 4 x 16 Bullnose (on 16" side)	4" x 16" (10.17 cm x 40.68 cm)	3/8" 9.30 mm	24
	SN44D9 / 4 x 4 Bullnose Corner	4" x 4" (10.17 cm x 10.17 cm)	3/8" 9.30 mm	20
	S44C9MOD / 4 x 12 Bullnose (on 12" side)	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm	28
	SCRL4449 / 4 x 4 Bullnose Corner	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	100
	S4289MOD / 2 x 8 Bullnose (on 8" side)	2-1/8" x 8-9/16" (5.45 cm x 21.82 cm)	5/16" 7.90 mm	80
	SN4289M / 2 x 2 Bullnose Corner	2-1/8" x 2-1/8" (5.45 cm x 5.45 cm)	5/16" 7.90 mm	25
	S4369MOD / 3 x 6 Bullnose (on 6" side)	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	100
	SN4339 / 3 x 3 Bullnose Corner	3" x 3" (7.65 cm x 7.65 cm)	5/16" 7.90 mm	32
	S4269 / 2 x 6 Bullnose (on 6" side)	2" x 6" (5.15 cm x 15.31 cm)	5/16" 7.90 mm	100
	SN4269 / 2 x 2 Bullnose Corner	2" x 2" (5.15 cm x 5.15 cm)	5/16" 7.90 mm	25
	S4449 / 4 x 4 Bullnose	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	100
	RADIUS BULLNOSE			
	A4200 / 2 x 6 Bullnose	2" x 6" (5.28 cm x 15.20 cm)	5/16" 7.90 mm	100
	AN4200 / 2 x 2 Bullnose Corner	2" x 2" (5.28 cm x 5.28 cm)	5/16" 7.90 mm	20
	FLAT TOP COVE BASE			
	A34C1MOD / 4 x 12 Cove Base	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm	40
	A3361MOD / 3 x 6 Cove Base	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	SCR3361M / 3 x 6 Cove Base Corner Right	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	SCL3361M / 3 x 6 Cove Base Corner Left	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	A3601 / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	44
	SCR3601 / 6 x 6 Cove Base Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	SCL3601 / 6 x 6 Cove Base Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	A3401 / 4 x 4 Cove Base	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	84
	SCR3401 / 4 x 4 Cove Base Corner Right	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	30
	SCL3401 / 4 x 4 Cove Base Corner Left	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	30

TRIM (CON'T)

			Thickness	Pieces/ Carton
SANITARY COVE BASE				
	S3619T / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	40
	SCR3619T / 6 x 6 Cove Base Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	SCL3619T / 6 x 6 Cove Base Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	S3419T / 4 x 6 Cove Base	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm	60
	SCR3419T / 4 x 6 Cove Base Corner Right	4-1/4" x 6" (10.90 cm x 15.29 cm)	5/16" 7.90 mm	20
	SCL3419T / 4 x 6 Cove Base Corner Left	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm	20
SANITARY COVE BASE - Slim Foot Design				
	S3619TN / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	40
	SC3619TN / 1 x 6 Cove Base Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	60

TRIM USAGE

Wall Tile	8 x 24	4 x 16	4 x 12	2 x 8	3 x 6	6 x 6	4 x 4
Jolly	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J
Quarter Round	A106	A106	A106	A106	A106	A106	A106
Quarter Round Corner	AC106	AC106	AC106	AC106	AC106	AC106	AC106
SURFACE BULLNOSE							
Bullnose	S44D9	S44C9MOD	S4289MOD	S4369MOD	S4269	S4449	
Corner	SN44D9	SCRL4449	SN4289M	SN4339	SN4269	SCRL4449	
Bullnose					S4269		S4269
Corner					SN4269		SN4269
RADIUS BULLNOSE							
Bullnose	A4200	A4200	A4200	A4200	A4200	A4200	A4200
Corner	AN4200	AN4200	AN4200	AN4200	AN4200	AN4200	AN4200
FLAT TOP COVE BASE							
Cove Base	A3601	A3601	A34C1MOD	A3401	A3361MOD	A3601	A3401
Cove Base & Corner	SCR3601 & SCL3601	SCR3601 & SCL3601	SCR3401 & SCL3401	SCR3401 & SCL3401	SCR3361M & SCL3361M	SCR3601 & SCL3601	SCR3401 & SCL3401

Best Match

METRO



METRO



METRO



INSTALLATION

Grout Joint Recommendation	Shade Variation
8 x 24: 1/16" (1/8" when rectangular size is installed in a staggered brick-joint pattern; overlap should not exceed 33%.) 4 x 16, 4 x 12, & 2 x 8: 1/16" (When rectangular size is installed in a staggered brick-joint pattern, overlap should not exceed 33%.) 6 x 6, 4 x 4, & 3 x 6: 1/16"	 V1 - LOW

PERFORMANCE CHARACTERISTICS

	ASTM#	RESULT
Water Absorption	C373	< 20.0%
Breaking Strength	C648	120 - 230 lbs.
Scratch Hardness	MOHS	4.0 - 6.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

APPLICATIONS

	TARGET DCOF WET	SUITABLE
Walls/Backsplashes	N/A	●
Countertops	N/A	●*
Pool Linings	N/A	●**

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

* 6 x 6, 4 x 4, 3 x 6 Matte finish only. Darker colors may show scratches.

** 6 x 6, 4 x 4, 3 x 6 only.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

FEATURES



POST-CONSUMER
RECYCLED MATERIALS



PRE-CONSUMER
RECYCLED MATERIALS



MADE IN THE U.S.A.

ZEROTOX

Healthy Homes | Healthy Planet

All or select items within this series meet the requirements for these qualifications.



STAINPROOF



DENTPROOF



SCRATCH-RESISTANT[†]
APPLICABLE TO MATTE & TEXTURED FINISH



FIRE-RESISTANT



SIMPLICLEAN™



NEMO
TILE + STONE
METRO