












V1 Variation | Polished, Unpolished, & Pattern Finish

RETRO ACTIVE 2.0

Retro Active 2.0 porcelain tile answers any design challenge. The line's 13 through-body hues come in polished and unpolished finishes, as well as the linear Pattern texture. 7 diverse sizes invite mixing and matching with modularity, and the ample trim package offers fully finished looks. Interplay the options to bring interactive style to your next project.







Sizes

Technical Information			
Finish	Polished, Unpolished, Patter	Application	Interior wall and floor, exterior wall
Thickness	5/16 in	Shade Variation	V1
Breaking strength	>350 lbf	Bond strength	>200 psi
Chemical resistance (UPS, Pattern)	Class A	Chemical resistance (Polished)	Class B
Frost resistance	Resistant	Water absorption	<0.20%
Scratch hardness	7 MOHS	Recommened grout joint	3/16 in
DCOF - Unpolished	0.50-0.60	DCOF - Polished	0.31-0.41
DCOF - Pattern	0.42-0.52		

TRIMS 6" x 24" 6"x12" COVE BASE 6" x 18" BULLNOSE 12" x 24" 6" x 12" 4" x 12" 1"x 6" Inside & 2" x 2" Inside **Outside Corners** Cove Base Corner 12" x 12" 2" x 4" Mosaic 3" x 12" on 12x12 Sheet 2" x 4" Outside Cove Base Corner 2" x 12" Cove Base

