



Matte Finish


The Pop Collection displays an essence of retro style, reflecting the vibrant and

bright character of an era full of iconic elements. The series stands out for its rectified finish that minimizes joint widths to achieve a sense of continuity throughout the surface. Its nonslip finish is an added value, which allows for use in both residential and commercial

POP

projects.






Technical Information							
Finish	Matte	Application	Interior floor and wall, exterior wall				
Thickness	8mm	Manufacture process	Single firing				
Water absorption	< 0.5%	Flexion resistance	> 35Nw/mm^2				
Breaking strength	> 1300 Nw	Resistance to surface abrasion	4				
Lineal thermic dilatation	< 9*10 -6/°C	Thermic impact resistance	Passes				
Cracking resistance	Passes	Frost resistance	Resistant				
Slip resistnace (UNE)	Class 2	Slip resistance (DIN)	R10				
Stain resistance (ISO)	Minimum Class 4	Chemical resistance - cleaning products	Class A				
Chemical resistance - swimming pool salt	Class A	Chemical resistance - acids and bases	Minimum Class LB				
DCOF	> 0.42	Edge	Rectified				

Packing Information								
SIZE	PCS/Box	SF/Box	LBS/Box	Boxes/Pallet	SF/Pallet	LBS/Pallet		
6x6	44	10.66	39.29	70	745.94	2750.05		

Size



6" x 6"

