

NEMO

TILE + STONE

WINSTON



WINSTON



WINSTON



WINSTON COLORS

PORCELAIN TILE



CALACATTA SELECT



ONICE BIANCO



PULPIS BEIGE



PULPIS GREY



SCENIC WHITE



WINSTON





WINSTON

TECHNICAL FEATURES


Characteristics and Test methods	Requirements ANSI A 137.1	Our general values
Determination of water absorption (ASTM C 373)	Average value $E_b \leq 0,5 \%$	Average value $< 0,06\%$
Classification D	definition § 3.0	Porcelain tiles
		Physical properties
Breaking strength - Slip (ASTM C 648)	Average ≥ 250 lbf (1.11 kN) Individual ≥ 225 lbf (1.00 kN)	Complies
Visible abrasion - (ASTM C 1027)	As reported	Class 0 - 5
Reccomended use	Novabell criterion (see Annex N - ISO 13006 / EN 14411)	Class 4
Thermal shock resistance- (ASTM C 428)	Pass	Complies
Crazing resistance - (ASTM C 424)	Pass	Complies
Resistance to freeze/thaw cycling - (ASTM C 1026)	As reported	Resistant
Bond strength - (ASTM C 482)	≥ 50 psi (0.34 MPa)	> 1 MPa
Color Uniformity - (ASTM C 609 and ANSI A 137.1 Section 9.3) (2)	V0 - 3 Judds	See the specific section
Mohs hardness scale - (ex EN 101 / BS 6431-13)	--	≥ 5
		Chemical properties
Chemical resistance - (ASTM C 650)	As reported	Resistant
Stain resistance - (ASTM C 1378)	As reported	Resistant
		Dimensions - Calibrated tiles
Dimensions - (ASTM C 499) - (ASTM C 485) - (ASTM C 502)	See ANSI A 137.1 - Tab.10	Complies
		Dimensions - Rectified tiles
Dimensions - (ASTM C 499) - (ASTM C 485) - (ASTM C 502)	See ANSI A 137.1 - Tab.10	Complies
		Slipperiness
DCOF Resistance (ANSI A 137.1 Section 9.6)	$\geq 0,42^{(1)}$	DCOF $\geq 0,42$

TECHNICAL		DIN 51130	DIN 51097	BCR	ANSI DCOF	ABRASION RESISTANCE	MOHS	RECOMMENDED USE	RESISTANCE TO STAINING	ANSI A 137.1
N	NATURAL	R9	-	DRY $> 0,40$ WET $> 0,40$	WET $\geq 0,42$	< 175 mm ³	≥ 5	4	5	V3
L	LEVIGATO	--		DRY $> 0,40$ WET $> 0,40$	$<$	175 mm ³	-	33		


SIZE




23⁵/₈ x 47¹/₄
Modulo Mix Levigato



11¹³/₁₆ x 11¹³/₁₆
Mosaico 5x5




11¹³/₁₆ x 11¹³/₁₆
Basket Levigato




11¹³/₁₆ x 11¹³/₁₆
Intreccio Levigato




11" x 11"
Lisca Leviagto



11⁹/₁₆ x 11³/₁₆
Chevron Levigato



15⁷/₁₆ x 13⁹/₁₆
Esagona Levigato



11¹³/₁₆ x 14³/₄
Round Levigato/Naturale



NEMO
TILE + STONE
WINSTON