

NEMO

TILE + STONE

AZALAI



AZALAI



AZALAI



AZALAI COLORS

PORCELAIN SLAB FLOOR & WALL TILE



NEGRO NATURAL

AZALAI



AZALAI


TECHNICAL FEATURES

Type	Porcelain
Reaction to Fire	Class A1
Stain Resistance	Class 3 min.*
Water Absorption	0.2%
DCOF	>0.42
Frost Resistant	Resistant
Bending Stregnth	$\geq 35 \text{ N / mm}^2$
Thickness	6 mm , 10.5 mm
Break Strength	$\geq 700 \text{ N}$
Resistance to deep abrasion	$\geq 135 \text{ mm}^3$
Rectified	Yes


PACKING INFORMATION

FORMAT	COLOR	FINISH	SO.FT. PER BOX	WGT. OF BOX	PEICES IN BOX	BOXES ON PALLET	SO.FT. PER PALLET	WGT. OF PALLET
59" x 118"	NEGRO	NATURAL	774.7 SQ.FT.	2597 LB.	16	1	774.7 SQ.FT.	2597 LB.
59" X 59"	NEGRO	NATURAL	484.2 SQ.FT.	1598.3 LB	20	1	484.2 SQ.FT.	1598.3 LB.
39" X 98"	NEGRO	NATURAL	538 SQ.FT.	1752.6 LB.	20	1	538 SQ.FT.	1752.6 LB.
40" X 40"	NEGRO	NATURAL	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB


SIZE




59" X 59"



40" X 40"




59" X 118"



39" X 98"

TRIMS



3³/₄" X 3³/₈" BULLNOSE



NEMO
TILE + STONE
AZALAI