

NEMO

TILE + STONE

JASPER



JASPER



JASPER



JASPER COLORS

PORCELAIN SLAB FLOOR & WALL TILE



MOKA NON-SLIP



MOKA ABUJARDADO



MOKA MOSAIC

JASPER



JASPER

TECHNICAL FEATURES

Type	Porcelain
Reaction to Fire	Class A1
Stain Resistance	Class 3 min.*
Water Absorption	≤ 0.2%
DCOF	> 0.42
Frost Resistant	Resistant
Bending Strength	≥ 35 N / mm ²
Thickness	6 mm , 10.5 mm
Break Strength	≥ 700 N
Resistance to Deep Abrasion	≤ 135 mm ³
Rectified	Yes

PACKING INFORMATION


FORMAT	COLOR	FINISH	SQ.FT. PER BOX	WGT. OF BOX	PEICES IN BOX	BOXES ON PALLET	SQ.FT. PER PALLET	WGT. OF PALLET
39" X 98"	MOKA	ABUJARDADO	538 SQ.FT.	1752.6 LB.	20	1	538 SQ.FT.	1752.6 LB.
40" X 40"	MOKA	ABUJARDADO NON - SLIP	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB
59" X 59"	MOKA	ABUJARDADO	484.2 SQ.FT.	55 LB	20	1	484.2 SQ.FT.	55 LB
12" X 12"	MOKA	ABUJARDADO	13.5 SQ.FT	32 LB	14	36	489 SQ.FT.	1150.8 LB

JASPER


SIZE




39x98



40x40



59x59



12x12





NEMO
TILE + STONE
JASPER