

NEMO

TILE + STONE

VINT



VINT



VINT



VINT COLORS

PORCELAIN SLAB FLOOR & WALL TILE



GRIS NATURAL



GRIS ABUJARDADO

VINT



VINT


TECHNICAL FEATURES

Type	Porcelain
Reaction to Fire	Class A1
Stain Resistance	Class 3 min.*
Water Absorption	≤ 0.2%
DCOF	> 0.42
Frost Resistant	Resistant
Bending Stregnth	≥ 35 N / mm ²
Thickness	6 mm
Break Strength	≥ 700 N
Resistance to Deep Abrasion	≤ 135 mm ³
Rectified	Yes


PACKING INFORMATION

FORMAT	COLOR	FINISH	SQ.FT. PER BOX	WGT. OF BOX	PEICES IN BOX	BOXES ON PALLET	SQ.FT. PER PALLET	WGT. OF PALLET
39" X 98"	GRIS	ABUJARDADO NATURAL	538 SQ.FT.	1752.6 LB.	20	1	538 SQ.FT.	1752.6 LB.
40" X 40"	GRIS	ABUJARDADO NATURAL	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB
59" X 59"	GRIS	NATURAL	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB
59" X 126"	GRIS	ABUJARDADO NATURAL	774.7 SQ.FT	2597 LB	16	1	774.7 SQ.FT	2597 LB


SIZE




39"x98"



40"x40"




59"x126"



59"x59"

TRIMS



3 3/4" x 39 3/8" BULLNOSE



NEMO
TILE + STONE
VINT